



# Technical Data Sheet

## Aftermarket Division

**Dow Automotive**

# BETACLEAN 3300

### **Description / Application:**

Cleaner for glass, ceramic frit, encapsulations (PUR-RIM, PVC) and preapplied adhesive system "PAAS" (PUR)

**All Dow Automotive products are primarily developed in co-operation with the automobile manufacturers, according to their needs and their specifications; they are approved for the specific applications as defined by the customer.**

**The use of the product other than approved application have to be released in written form by the Technical Service of Dow Automotive.**

### **Technical Data:**

<b>Basis</b>	demineralized water
<b>Colour</b>	light blue, transparent
<b>Density</b>	0.98 +/- 0.01 g/cm <sup>3</sup> at 23°C
<b>pH value</b>	approx. 7
<b>Instruction for use</b>	Spray Betaclean 3300 on glass/ceramic surfaces, clean off with clean, dry, binder-free tissues or cloths.
<b>Shelf life</b>	24 months (see "use before" date printed on container).
<b>Containers</b>	25 l
<b>Protection measures</b>	See health and safety data

### **Dow Automotive quality assurance**

Quality is our utmost goal. Dow Automotive works according to a modern quality management system conforming to ISO/TS 16949:2002.

Environment: All sites of Dow Automotive are conforming to ISO 14001:2004.

All statements, technical information and recommendations contained in this document are based on tests that we believe are reliable.

However, the accuracy or completeness of the statements, information and recommendations is not guaranteed, as before using, the user should determine the suitability of the product for user's intended purpose.

This document does not create any liability and all warranties, express or implied, including the implied warranties of merchantability and fitness for a particular purpose are disclaimed. Neither seller nor manufacturer shall be liable either in contract or tort for any loss or damage, direct, incidental, or consequential, arising out of the use and or the inability to use the product. Seller's/manufacture's only obligation is the replacement of defective product.

Dow France S.A.S  
Z.I. Nord, route d'Amiens  
F-60130 St-Just-en-Chaussée  
Tel. +33 (0) 3 44 77 61 00  
Fax. +33 (0) 3 44 77 61 61

Dow Automotive UK Ltd.  
GB-Nuneaton Warwickshire  
CV107QT  
Tel. +44 (0) 1203 35 72 00  
Fax. +44 (0) 1203 35 72 57

Dow Automotive (Allemagne) GmbH  
Am Kronberger Hang 4  
D- 65824 Schwalbach  
Tel. +49 (0) 6196 566 0  
Fax. +49 (0) 6196 566 444

Dow Automotive (Italie) SRL  
Via Patroclo (Sales office)  
I-20151 Milan  
Tel. +39 (0) 2 48 221  
Fax. +39 (0) 2 48 22 40 66

Dow Automotive (España) S.L.  
C/ Camino del Corral, 7  
E-28816 Camarma de Esteruelas (Madrid)  
Tel. +34 (9) 1886 61 43  
Fax. +34 (9) 1885 75 60

Dow Automotive (Suisse)  
Wolleraustrasse 15-17  
CH-8807 Freienbach  
Tel. +41 (0) 55 416 81 11  
Fax. +41 (0) 55 416 82 20

Dow Automotive (USA)  
1250 Harmon Road  
Auburn Hills, MI - 48326  
Tel. +001 248 391 63 00  
Fax +001 248 391 64 17

